

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1. (Previously Presented) An apparatus for capturing a live presentation, comprising:

means for capturing during the live presentation electronic still images for display by a display device which displays said electronic still images for viewing by an audience;

means for recording the audio portion of a speaker's presentation during a live presentation; and

means for automatically synchronizing change over from one electronic still image to another with the audio recording.

2. (Original) An apparatus according to claim 1, wherein said means for capturing electronic still images includes means for routing electrical signals intended to drive said display device to said means for synchronizing.

3. (Original) An apparatus according to claim 1, wherein said means for capturing electronic still images is housed in an intermediate unit.

4. (Previously Presented) An apparatus according to claim 1, wherein said means for capturing electronic still images is housed in said display device.

5. (Original) An apparatus according to claim 1, further comprising a media server that provides said synchronized still images and audio recording in an Internet format.

6. (Previously Presented) An apparatus according to claim 1, further comprising an image projection device.

7. (Original) An apparatus according to claim 1, further comprising means for imaging the person giving the live presentation.

8. (Original) An apparatus according to claim 1, wherein said means for recording includes a microphone adjacent to the person giving the live presentation.

9. (Previously Presented) An apparatus according to the claim 1, wherein said means for automatically synchronizing change over from one still image to another still image with the audio recording includes a manual input for marking a change over event.

10. (Previously Presented) An apparatus according to the claim 1, wherein said means for automatically synchronizing change over of one still image to another still image with the audio recording includes means for automatically detecting a change over event.

11. (Previously Presented) An apparatus according to claim 1, further comprising:

means for determining the location of an electronic pointer on the display device; and

means for associating a timestamp with a determined location, wherein the automatic synchronizing step further includes the step of storing the determined location of the pointer and the associated timestamp into memory.

12. (Original) An apparatus according to claim 1, further comprising:

means for storing the captured still images in a database; and

means for providing search capabilities for searching the database.

13. (Original) An apparatus according to claim 12, further comprising means for creating a searchable transcript of text in the still images.

14. (Original) An apparatus according to claim 13, wherein said means for creating a transcript includes means for optical character recognition.

15. (Original) An apparatus according to claim 14, further comprising means for auto-summarizing the transcript to generate a summary of the transcript.

16. (Original) An apparatus according to claim 14, further comprising means for auto-outlining the transcript to generate an outline of the transcript.

17. (Original) An apparatus according to claim 1, further including means for transmitting said captured still images and recorded audio portion of a presentation to a network in a format suitable for viewing over the network.

18. (Original) An apparatus according to claim 17, further including means for sending the captured still images and audio recording to a client via the Internet.

19. (Original) An apparatus according to claim 1, further including means for converting the audio recording of the live presentation into a streaming format for transfer via the Internet.

20. (Previously Presented) A system for digitally recording and storing a lecture presentation using still images and audio, comprising:

a still image generator for displaying a still image;

a capturing component configured to capture digital still image data from data used to generate the still image, while the still image is being displayed by the still image generator;

a receiving component configured to receive audio signals;

a converting component configured to convert the audio signals into digital audio data; and

a computer including a memory for storing the captured digital still image data and the digital audio data.

21. (Original) The system of claim 20, wherein the system includes a computer connected to the Internet such that the client can access the stored digital still image data and the digital audio data via the Internet.

22. (Original) The system of claim 20, wherein the still image generator displays the still image using an overhead transparency projector.

23. (Original) The system of claim 20, wherein the still image generator displays the still image using a paper document projector.

24. (Cancelled)

25. (Cancelled)